



## Description

PL 68EN is a ceiling speaker featuring a flameproof steel back can, designed for recess installation into ceilings or panels. It is especially suitable for broadcasting alarm messages thanks to the highly intelligible sound reproduction and its resistance to high temperatures reached during fires. The terminal connection blocks, for input and output flameproof cables, are made of ceramic material. A thermal fuse protects the integrity of the line in case of heat affecting the speaker. Ground screw available (if needed). Cables inside speaker made using flameproof leads.

### **Features**

- > 6" fullrange transducer.
- > Power selectable (100 V): 6 W 3 W 1.5 W.
- > 94 dB sensitivity.
- > Colour white RAL 9003.
- > Steel frame, grille and back can.
- > In/out ceramic terminal block.
- > Thermal fuse protection.

## **Part Number**

13133082 PL 68EN

100 V


White - RAL 9003 EAN 8024530011857




# **PL 68EN**

## CEILING SPEAKER WITH FIRE DOME

#### Line Art 2D





## **TECHNICAL SPECIFICATIONS**

**Acoustical specifications** Frequency Response (-10dB) 230 Hz ÷ 20000 Hz

> Max SPL @ 1m 102 dB Max SPL @ 4m 90 dB 126° Coverage angle System Sensitivity 94 dB System Sensitivity 1W @ 4m 82 dB

Power section **Amplification** Full Range

Power Handling 6 W 24 W PEAK Peak Power Handling Protections Thermal fuse

Recommended Amplifiers DXT 3000, DXT 4000, DXT 7000

**Transducers** Fullrange 1 x 6.0"

Input/Output section Input connectors Ceramic screw terminals

Output connectors Ceramic screw terminals

Constant Voltage Transformer 100 V

Power selection 1 6 W - 1667 ohm Power selection 2 3 W - 3333 ohm Power selection 3 1.5 W - 6667 ohm

Standard compliance Safety agency CE compliant

> EN54-24 certified Yes

CPR number 1488-CPR-0486/W

**Physical specifications** Cabinet/Case Material Metal

> Hardware Steel back cover

Grille Steel

White - RAL 9003 Color Size / Weight Height 91 mm / 3.58 inches

> 90 mm / 3.54 inches Recessed Depth 220 mm / 8.66 inches Diameter Cut out diameter 200 mm / 7.87 inches Weight 1.12 kg / 2.47 lbs

**Technical Specifications** Page 2 of 3



# PL 68EN

## CEILING SPEAKER WITH FIRE DOME

Technical Specifications Page 3 of 3